



Lorenzo Magnea

## Curriculum Vitae

### Current Position

- **Professor** of Theoretical Physics, University of Torino
- **Head** of the Theory Group, Department of Physics, University of Torino.

### 1. Biography and Education

- **Born** in Torino, Italy, **March 1961**.
- **“Laurea”** in Physics, University of Torino, **July 1985**.
  - Thesis advisor: Prof. Tullio Regge.
  - Thesis: “Field theories on simplicial lattices”.
  - Final grade: 110/110 with Honours.
- **Drafted** for National Civil Service, **March 1985 – February 1986**.
  - Coordinating non-profit social-work activities at Caritas, Torino Dioceses.
- **Married** to Lena Ulrika Blom, **February 1990**.
  - Children: Daniele (b. 1990), Erica (b. 1992).
- **Ph.D.** in Physics, State University of New York at Stony Brook (USA), **August 1990**.
  - Thesis advisor: Prof. George Sterman.

- Thesis: “On the infrared-collinear structure of gauge theories”.
- **Training Scholarships:**
  - Graduate Scholarship of the Istituto Nazionale di Fisica Nucleare (INFN), for post-graduate training in Italy, 1985, (declined, to enroll in the Ph.D. program at Stony Brook).
  - Angelo Della Riccia Fellowship in 1987, 1988 and 1989.
- **Languages:**
  - Italian (mother tongue).
  - English (fluent).
  - French (very good).
  - Swedish (good).

## 2. Research Positions

- **Graduate Assistant**, C. N. Yang Institute for Theoretical Physics, State University of New York at Stony Brook (USA),  
September 1986 – August 1990.
- **Post-Doctoral Associate**, F.R. Newman Laboratory of Nuclear Studies, Cornell University, USA.  
September 1990 – August 1992.
- **Assistant Professor**, Department of Theoretical Physics, University of Torino, Italy.  
October 1990 – September 2002.
- **Visiting Scientist**, NORDITA, Copenhagen, Denmark.  
September 1995 – August 1997.
- **Associate Professor**, Department of Theoretical Physics, University of Torino, Italy.  
October 2002 – April 2015.
- **Paid short-term Visitor**, CERN, Switzerland.  
May – July 2001; May – June 2004; August 2005; August 2006; August 2007; August 2009.
- **Paid Scientific Associate**, CERN, Switzerland.  
August – December 2004; January – June 2010.

- [Distinguished Visitor](#), Scottish University Physics Alliance (SUPA)  
February 2011.
- [Associate Member](#), Higgs Center for Theoretical Physics, University of  
Edinburgh, UK.  
September 2012 - present.
- [Senior Visiting Scientist](#) for the European Union ITN Network LHCPhe-  
noNet, NIKHEF, Amsterdam, NL.  
May-June 2013 - November 2014.
- [Full Professor](#), Department of Physics, University of Torino, Italy.  
May 2015 – present.

### 3. Teaching Experience

- [Teaching Assistant](#), State University of New York at Stony Brook, 1986  
– 1990.
  - Introductory Physics.
  - Introductory Classical Mechanics (Honors Class).
  - Elementary Particle Physics.
- [Lecturer](#), University of Torino, 1992 – 1995 and 1997 – present.
  - Introduction to Modern Physics.
  - Quantum Mechanics (for the Physics degree).
  - Quantum Mechanics (for the Mathematics degree).
  - Introductory Quantum Mechanics for the Advanced School for High  
School Teachers (SSIS).
  - Introduction to Group Theory.
  - Phenomenology of Fundamental Interactions.
  - Introductory Electromagnetism (for the Materials Sciences degree).
  - Introductory Electromagnetism (for the Chemistry degree).
  - Introductory Physics (for Medical Sciences).
  - Introductory Physics (for Veterinary Sciences).
  - Advanced Quantum Field Theory.
  - Computing Techniques for Physics.

- Physics for Citizens (for the School of Humanities).  
This course, which I proposed and developed, is open to the general public and was featured in local and national news broadcasts, including the RAI popular science and news program [Geo&Geo](#) in March 2016 and in October 2018.
- [Ph.D. and Post-Graduate Lecture Series.](#)
  - “Advanced methods for the calculation of QCD scattering amplitudes”, University of Torino, [1993](#).
  - “From the Parton Model to Perturbative QCD”, University of Torino, [2000](#), [2006](#), [2007](#), [2011](#).
  - “Introduction to Perturbative QCD”, National Doctoral School in Theoretical Physics, University of Parma, [September 2002](#).
  - “Introducing Perturbative QCD for hadron collider applications”, ICTP Trieste (Italy), [December 2008](#).
  - “All-order results in Perturbative QCD”, Institute for Mathematical Sciences (IMSc), Chennai (IN), [January 2008](#), and Queen Mary University of London (UK), [February 2008](#).
  - “Long-Distance Singularities in massless gauge theories”, advanced lectures at ETH (Zurich, CH), [January 2010](#); SUPA Lectures at the Universities of Edinburgh and Glasgow, [February 2011](#); lectures for the Doctoral School in Physics and Astrophysics at the University of Torino, [March 2012](#) and [January 2015](#); lectures at the NIKHEF Theory Group, Amsterdam, [May 2013](#); lectures at WHEPP XIV, IIT Kanpur (IN), [December 2015](#); GIAN Lectures at IIT Hyderabad (IN), [December 2017](#).
- [Student Supervision](#)
  - Frequent supervision of final projects for the Bachelor’s Degree in Physics.
  - Frequent supervision of Master’s Thesis for the Master’s Degrees in Physics.
  - Ph.D. Thesis advisor for Dr. Alberto Frizzo ([2001](#)), Dr. Michele Allegra ([2014](#)), Dr. Giulio Falcioni ([2015](#)), Chiara Signorile-Signorile ([present](#)).
  - External Examiner in Ph.D. and Master’s Thesis Committees at the Universities of Parma, Milano, Utrecht, Manchester, Edinburgh and Amsterdam.

## 4. Management and Administrative Activities

- **Head Tutor** for the Master's Degree in Physics of Fundamental Interactions (2002 – 2003).
- **Member** of the Faculty Council for the Doctorate Program in Physics (2003 – 2006).
- **Member** of the Faculty Council for the Graduate School in Sciences and Advanced Technologies (2006 – 2015).
- **Coordinator** of the Orientation and Outreach Committee for the Degree Programs in Physics (2002 – 2005), in charge of activities designed to introduce the degree programs in Physics and Physics careers to high-school students, and promoting general outreach activities.
  - **Coordinator** of the outreach program “La Scienza dal Vivo” (“Live Science”) for the Physics laboratories (2002 – 2005). Working with regional authorities, the program brought high-school students to University laboratories for guided visits, involving 700 – 900 students per year.
  - **Member** of the local Joint Organizing Committee for the World Year of Physics (2004 – 2005).
  - **Promoter** of the Movie Festival “Vedere la Scienza”, Torino, Massimo Theater, April 2005.
  - **Organizer** of the “Luigi Lagrange Prize” and of the “Sergio Fubini Prize”: physics competitions for high-school students, promoting the knowledge of Physics and targeting enrolment in Physics degree programs.
- **Chairperson** of the Orientation and Outreach Committee for the Faculty of Natural Sciences of the University of Torino (2005 – 2009).
  - **Coordinator** of the outreach program “La Scienza dal Vivo” (“Live Science”) for all the Natural Sciences degree programs (2005 – 2009). Working with regional authorities, the program involved 2000 – 2500 high-school students per year.
  - **Coordinator** of the outreach programs “Three Mornings at the University” (high-school students selected on the basis of excellence in science participate in experiments in University laboratories) and “The University goes to School” (academic lectures given by University lecturers in high schools).

- Promoter of the Summer Orientation Program “OrientaMente” for the Faculty of Sciences and the Degree Program in Biotechnologies (July – September 2008; July 2009).
- Coordinator of the Master’s Degree program in Physics at the University of Torino (2015 – 2017).
- Head of the Theoretical Physics Section of the Department of Physics of the University of Torino (2015 – present).

## 5. Research Highlights

A brief summary of selected significant research results, in approximate chronological order.

- **Regge calculus**  
In collaboration with Michele Caselle and Alessandro D’Adda, I constructed a first order version of Regge Calculus, with dynamical variables belonging to the Poincaré group [91]. This particular discretization of General Relativity is appropriate for the coupling of gravity to fermionic matter, and reduces to ordinary Regge calculus in the small curvature limit. Related studies of lattice gravity on a hypercubic lattice appeared in [95, 94].
- **The quark form factor**  
Working with George Sterman, I studied evolution equations for QCD amplitudes and cross section, arising from factorisation. We derived an exact all-order perturbative expression for the renormalised quark form factor in terms of two anomalous dimensions, regulating infrared divergences with dimensional regularisation [88]. This paper introduces for the first time in perturbative QCD the use of  $d$ -dimensional evolution equations and of the  $d$ -dimensional running coupling. Using these results, closed form expressions for the logarithm of the form factor were later derived in [64]. This paper has become a standard reference for all-order studies of infrared effects in QCD and related gauge theories.
- **Non-relativistic QCD**  
In a collaboration led by Peter Lepage, I constructed an effective field theory for QCD in the non-relativistic limit, in the continuum and on the lattice, appropriate for the determination of the spectra and properties of heavy quarkonia [86]. The work included the determination

of the relevant operators, the analysis of perturbative corrections, and a resummation of large corrections due to lattice effects. This paper has been successfully applied in a vast literature, both to lattice studies of quarkonium spectroscopy and to perturbative studies of quarkonium production and decay at colliders. It has collected more than 600 citations in the `Inspire` database.

- [Field theory limits of string amplitudes](#)

Multiloop string techniques can be applied to the calculation of field theory scattering amplitudes, renormalisation constants and effective actions; working with Paolo di Vecchia and others, I developed these techniques [82, 81] to show how one-loop string theory amplitudes can be consistently continued off-shell in the field theory limit, how individual Feynman diagram topologies can be isolated, and the gauge chosen by string theory can be identified at the one-loop level. This paper has found widespread applications in string and brane calculations. The techniques introduced here were later developed in [77, 66, 61], including applications to scalar theories at two loops, and they were applied to effective actions in constant background gauge fields in [49]. Steps towards a complete generalisation to gluon amplitudes at two loops and beyond, in bosonic and superstring theory, were taken in [22, 14].

- [Power corrections to QCD observables](#)

Renormalon and related ‘dispersive’ techniques have been widely applied to the study of leading non-perturbative corrections to QCD cross sections. In [72], Martin Beneke, Vladimir Braun and I provided a general analysis of the phenomenology of power corrections in fragmentation processes in  $e^+e^-$  annihilation, using renormalon techniques. This paper is among the first to analyze the effect of non-inclusive corrections to renormalon-based estimates of power corrections in QCD. Further applications of these and related techniques were presented in [67, 54, 51].

- [Exponentiation beyond leading-power logarithms](#)

Soft-gluon resummations compute certain classes of contributions to QCD amplitudes and cross sections to all orders in perturbation theory. They are a widespread and very relevant tool both for the theory and the phenomenology of strong interactions. With Eric Laenen and others, I have been studying the extension of resummation techniques beyond leading power in the soft energy. We first studied a class of non-logarithmic contributions, which can be organised to all orders for all processes which are electroweak at tree level [55]. These contributions are independent of kinematics and can have a sizable impact on collider observables of phenomenological interest. They have subsequently

been studied by a number of other authors. More recently, we have developed a factorisation formalism for the same observables which provides a complete organization of next-to-leading-power threshold logarithms [35, 27, 16, 15, 9]. Work to develop a full-fledged resummation formalism at this accuracy is ongoing, and applications for electroweak annihilation processes at NLO were studied in [8].

- [Resummation at high logarithmic accuracy](#)

Again in collaboration with Eric Laenen, I studied the universality properties of soft gluon resummation, mapping electroweak annihilation observables to Deep Inelastic Scattering anomalous dimensions; this led to the first explicit calculation of three-loop ( $N^3LL$ ) soft contributions to the Drell-Yan process and to Higgs boson production in the gluon fusion channel [46]. Our calculation is an important ingredient of the most precise theoretical predictions to date for these process, now being investigated experimentally at LHC. Other work related to soft gluon resummations includes [87, 48].

- [Non-perturbative corrections to jet cross sections](#)

Working with Mrinal Dasgupta and Gavin Salam, I performed a detailed study of the impact and functional dependence of the leading non-perturbative corrections to jet cross sections at hadron colliders, using both analytic methods related to renormalon techniques and Monte-Carlo simulations; we proposed experimental measurements discriminating hadronisation, underlying event and pileup corrections, by means of a study of jet radius dependence [39]. This paper is relevant for all jet studies at Tevatron and at LHC, and is widely used in this context when power-suppressed corrections are relevant.

- [Infrared poles of gauge theory amplitudes](#)

Gauge theory scattering amplitudes have been the focus of a massive research effort in the past several years, which brought forth remarkable progress. With Lance Dixon and George Sterman, I studied the universality properties of infrared and collinear divergences for fixed-angle amplitudes in massless gauge theories, such as QCD and the maximally supersymmetric  $\mathcal{N} = 4$  Super-Yang-Mills theory (SYM) [37]. Our paper derives some exact results connecting amplitudes and anomalous dimensions in  $\mathcal{N} = 4$  SYM, one of which has already been verified in the strong coupling limit, with holographic methods. The methods developed here have led to significant progress in our understanding of the infrared structure of multi-particle amplitudes in gauge theories, some of which is described below.

- [The dipole formula](#)

With Eitan Gardi, I studied the constraints imposed by factorisation on the all-order expression for the soft anomalous dimension matrix governing soft singularities for arbitrary fixed-angle scattering amplitudes in massless gauge theories. The constraints lead to an ansatz expressing this matrix to all orders in terms of a sum over color dipoles, in turn proportional to the cusp anomalous dimension [34]. The ‘dipole formula’ derived in this paper is the most general existing result for the infrared behaviour of gauge amplitudes. The paper furthermore provides a characterisation of all possible corrections, which fall in only two well-defined classes, and which are currently under study at three loops and beyond. Further developments are discussed in [31, 19] and below.

- [High-energy amplitudes](#)

In collaboration with Vittorio Del Duca, Eitan Gardi and others, I have studied the high-energy (‘Regge’) limit of gauge theory amplitudes from an infrared standpoint. I have shown that the all-order knowledge which is available on the infrared structure of fixed-angle amplitudes can be used to determine the high-energy limit beyond the naïve Regge-pole based high-energy factorization, which breaks down beyond next-to-leading logarithmic accuracy [25, 26]. The general structure of infrared poles associated with Regge cuts in the angular momentum plane can be determined, and concrete predictions can be made for three-loop parton amplitudes in QCD [21, 17].

- [Infrared subtraction beyond NLO](#)

In collaboration with Sandro Uccirati, Paolo Torrielli, Ezio Maina and others I am developing a general method for the subtraction of infrared singularities in hadronic cross sections beyond NLO in QCD. Using factorisation, we have provided general definitions of local soft and collinear counterterms for real radiation, valid to all orders in perturbation theory and for generic collider processes [3]. Furthermore, we are constructing a general-purpose subtraction algorithm at NNLO, ready to be interfaced with suitable event generators, with first results discussed in [4].

## 6. Other scientific activities.

- [Refereeing](#)

I have been a Referee for the following journals.

– *Acta Physica Polonica* **B**

- *Central European Journal of Physics*
- *European Physical Journal A*
- *European Physical Journal C*
- *Journal of High Energy Physics*
- *Nuclear Physics* **B**
- *Physical Review* **D**
- *Physical Review Letters*
- *Physics Letters* **B**

I have acted in a refereeing capacity for different organizations.

- **Member** of the international referee pool for the “Fondazione Cariparo” (a banking foundation) for the selection of research projects of excellence to be funded (2007 – 2008).
  - **Project Referee** for the USA National Science Foundation (Career Program and International Research Fellow Awards, 2008 – 2009).
  - **Member** of the Scientific Council for “2I3T”, a joint venture of the University of Torino and local governments providing help to spin off economically viable companies marketing results of academic research (2007 – 2010).
  - **Expert Evaluator** for the Italian Ministry of Education and Research, Programs ”SIR” and ”Levi Montalcini”, 2012, 2014 and 2015.
  - **Expert Evaluator** of the Physics Evaluation Panel for the Research Executive Agency (REA) of the European Union (“People” program of the 7th Framework FP7), 2011 and 2012.
  - **Vice-Chair** of the Physics Evaluation Panel for the Research Executive Agency (REA) of the European Union (“People” program of the 7th Framework FP7), 2013.
  - **Expert Evaluator** of the Physics Evaluation Panel for the Research Executive Agency (REA) of the European Union (“Marie Skłodowska Curie Action” of the 8th Framework H2020), 2014-2018.
- *Workshop and School Organization*
    - **Organizer** of the workshop “Renormalons and Power Corrections”, NORDITA, Copenhagen, August 1996.
    - **Coordinator** of the working group on resummations in QCD, in the workshop “Standard Model Physics (and more) at the LHC”, CERN, 1999.
    - **Organizer** of the “Torino Graduate School in Physics at Colliders”, third and fourth editions, Torino, January 2008 and July 2009.

- **Member** of the International Advisory Committee for the Conferences “Amplitudes 2015”, Zurich, **July 2015**, “Amplitudes 2017”, Edinburgh, **July 2017**, and “Amplitudes 2018”, SLAC **June 2018**.
  - **Organizer** of the Workshop “Quarkonium 2019”, Torino, **May 2019**.
- *Participation in Conferences and Workshop*
    - I routinely take part and give invited talks in international conferences and workshops in theoretical high energy physics. I am regularly invited to present my work or review recent advances in my field at academic and research institutions worldwide.
    - A selection of recent presentations is available at  
<http://personalpages.to.infn.it/~magnea/index.html>
- *Research Grants*
    - **Member** of the European Research and Training Networks: QCD-NET (1998 – 2001), Physics at Colliders (2001 – 2005), HEPTOOLS (2006 – 2009) and HIGGSTOOLS (2014 – 2018).
    - My research has been funded throughout my career by refereed Research Initiatives of the “Istituto Nazionale di Fisica Nucleare” (INFN), of which I am an Associate Scientist.
    - **Member** of competitively awarded “Research Projects of National Relevance” (PRIN) financed by the Italian Ministry of Education in 1997, 1999, 2001, 2004, 2006, 2009, 2012, 2018.
    - **Member** of the IMPACT (Innovative Methods for Particle Colliders at the Terascale) group, recipient of competitively awarded research funds from the Fondazione San Paolo (a banking foundation) and the University of Torino (2011 – 2014).
    - **Coordinator** of the project “SCI4DEM” (Science for Democracy), developing tools to counter the diffusion of fake news about science, financed by the Fondazione CRT (a banking foundation) and by the University of Torino (2019 – 2020).
    - **International PI** for the project “Perturbative QCD for Precision Physics at the LHC”, financed under the SPARC program of the Government of India, for joint research and teaching involving Indian, Italian and Dutch Universities (2019 – 2020).

## 7. Referees

The following senior scientists have agreed to act as referees on my behalf, and are available to provide information about myself if contacted at the e-mail addresses listed below.

- Prof. Michele Caselle (Università di Torino):  
[caselle@to.infn.it](mailto:caselle@to.infn.it)
- Prof. Lance Dixon (SLAC):  
[lance@slac.stanford.edu](mailto:lance@slac.stanford.edu)
- Prof. Eric Laenen (NIKHEF):  
[t45@nikhef.nl](mailto:t45@nikhef.nl)
- Prof. Peter Lepage (Cornell University):  
[gpl3@cornell.edu](mailto:gpl3@cornell.edu)
- Prof. George Sterman (SUNY at Stony Brook):  
[sterman@max2.physics.sunysb.edu](mailto:sterman@max2.physics.sunysb.edu)

# Lorenzo Magnea

## Publication List

- [1] N. Bahjat-Abbas, D. Bonocore, J. Sinninghe Damsté, E. Laenen, L. Magnea, L. Vernazza and C.D. White,  
“Diagrammatic resummation of leading-logarithmic threshold effects at next-to-leading power”  
*to be published in JHEP*, [arXiv:1905.13710](#) [hep-ph].
  
- [2] V. Del Duca and L. Magnea,  
in “Tullio Regge: an eclectic genius, from quantum gravity to computer play”,  
Eds. L. Castellani, A. Ceresole, R. D’Auria and P. Fré, World Scientific,  
[arXiv:1812.05829](#) [hep-ph].  
“The long road from Regge poles to the LHC”
  
- [3] L. Magnea, E. Maina, G. Pelliccioli, C. Signorile-Signorile, P. Torrielli and S. Uccirati,  
*JHEP* **1812** (2018) 062, [arXiv:1809.05444](#) [hep-ph].  
“Factorisation and Subtraction beyond NLO”
  
- [4] L. Magnea, E. Maina, G. Pelliccioli, C. Signorile-Signorile, P. Torrielli and S. Uccirati,  
*JHEP* **1812** (2018) 107, [arXiv:1806.09570](#) [hep-ph].  
“Local Analytic Sector Subtraction at NNLO”
  
- [5] L. Magnea, E. Maina, G. Pelliccioli, C. Signorile-Signorile, P. Torrielli and S. Uccirati,  
in *St. Goar 2018, Proceedings* “Loops and Legs 2018”, PoS LL **2018** (2018) 013.  
“Analytic tools for IR subtraction beyond NLO”
  
- [6] L. Magnea, E. Maina, P. Torrielli and S. Uccirati,  
in *St. Gilgen 2017, Proceedings* “RadCor 2017”, PoS RADCOR **2017** (2018) 035, [arXiv:1801.06458](#) [hep-ph].

[“Towards analytic local sector subtraction at NNLO”](#)

- [7] L. Magnea, E. Maina, P. Torrielli and S. Uccirati,  
in *St. Gilgen 2017, Proceedings “RadCor 2017”*, PoS RADCOR **2017** (2018)  
043, [arXiv:1801.06462 \[hep-ph\]](#).

[“Factorization and subtraction”](#)

- [8] V. Del Duca, E. Laenen, L. Magnea, L. Vernazza and C.D. White,  
*JHEP* **1711** (2017) 057 [arXiv:1706.04018 \[hep-ph\]](#).

[“Universality of next-to-leading power threshold effects for colourless final states in hadronic collisions”](#)

- [9] D. Bonocore, E. Laenen, L. Magnea, L. Vernazza and C. White,  
*JHEP* **1612** (2016) 121, [arXiv:1610.06842 \[hep-ph\]](#).

[“Non-abelian factorisation for next-to-leading-power threshold logarithms”](#)

- [10] L. Magnea, D. Bonocore, E. Laenen, L. Vernazza and C. White,  
in *Leipzig 2016, Proceedings “Loops and Legs 2016”*, PoS LL **2016** 078,

[“On non-abelian next-to-leading-power threshold logarithms”](#)

- [11] D. Bonocore, E. Laenen, L. Magnea, S. Melville, L. Vernazza and C. White,  
in *Los Angeles 2015, Proceedings “RadCor 2015”*, PoS (RADCOR2015) 013,  
[arXiv:1602.01988 \[hep-ph\]](#).

[“Next-to-leading power threshold logarithms: a status report”](#)

- [12] L. Magnea,  
in *Trento 2015, Proceedings “Physics prospects for linear and other future colliders”*, Frascati Physics Series LXI, 184, [arXiv:1601.02113 \[hep-ph\]](#).

[“The growing toolbox of perturbative QCD”](#)

- [13] S. Forte *et al.*,  
*Eur. Phys. J. C* **75** (2015) 554, [arXiv:1505.01279 \[hep-ph\]](#).

[“The Standard Model from LHC to future colliders”](#)

- [14] L. Magnea, S. Playle, R. Russo and S. Sciuto,  
*JHEP* **1506** (2015) 146, [arXiv:1503.05182 \[hep-th\]](#).  
“Two-loop Yang-Mills diagrams from superstring amplitudes”
- [15] D. Bonocore, E. Laenen, L. Magnea, S. Melville, L. Vernazza and C.D. White,  
*JHEP* **1506** (2015) 8, [arXiv:1503.05156 \[hep-ph\]](#).  
“A factorization approach to next-to-leading-power threshold logarithms”
- [16] D. Bonocore, E. Laenen, L. Magnea, L. Vernazza and C.D. White,  
*Phys. Lett. B* **742** (2015) 375, [arXiv:1410.6406 \[hep-ph\]](#).  
“The method of regions and next-to-soft corrections in Drell-Yan production”
- [17] V. Del Duca, G. Falcioni, L. Magnea and L. Vernazza,  
*JHEP* **1502** (2015) 29, [arXiv:1409.8330 \[hep-ph\]](#).  
“Analyzing high-energy factorization beyond next-to-leading logarithmic accuracy”
- [18] L. Magnea,  
in *Weimar 2014, Proceedings “Loops and Legs 2014”*, PoS (LL2014) 073,  
[arXiv:1408.0682 \[hep-ph\]](#).  
“Progress on the infrared structure of multi-particle gauge theory amplitudes”
- [19] G. Falcioni, E. Gardi, M. Harley, L. Magnea and C.D. White,  
*JHEP* **1410** (2014) 10, [arXiv:1407.3477 \[hep-ph\]](#).  
“Multiple Gluon Exchange Webs”
- [20] V. Del Duca, G. Falcioni, L. Magnea and L. Vernazza,  
in *Lumley Castle 2013, Proceedings “RadCor 2013”*, PoS (RADCOR2013) 046,  
[arXiv:1312.5098 \[hep-ph\]](#).  
“Beyond Reggeization for two- and three-loop QCD amplitudes”
- [21] V. Del Duca, G. Falcioni, L. Magnea and L. Vernazza,  
*Phys. Lett. B* **732** (2014) 233, [arXiv:1311.0304 \[hep-ph\]](#).  
“High-energy QCD amplitudes at two loops and beyond”

- [22] L. Magnea, S. Playle, R. Russo and S. Sciuto,  
*JHEP* **1309** (2013) 081, [arXiv:1305.6631 \[hep-th\]](#).  
[“Multi-loop open string amplitudes and their field theory limit”](#)
- [23] V. Del Duca, C. Duhr, E. Gardi, L. Magnea and C.D. White,  
in *Wernigerode 2012, Proceedings “Loops and Legs 2012”*, PoS (LL2012) 008,  
[arXiv:1210.6786 \[hep-ph\]](#).  
[“Infrared singularities in the high-energy limit”](#)
- [24] V. Del Duca, C. Duhr, E. Gardi, L. Magnea and C.D. White,  
in *Mamallapuram 2011, Proceedings “RadCor 2011”*, PoS (RADCOR2011)  
038, [arXiv:1201.2841 \[hep-ph\]](#).  
[“Infrared singularities and the high-energy limit”](#)
- [25] V. Del Duca, C. Duhr, E. Gardi, L. Magnea and C.D. White,  
*JHEP* **1112** (2011) 021, [arXiv:1109.3581 \[hep-ph\]](#).  
[“The infrared structure of gauge theory amplitudes in the high-energy limit”](#)
- [26] V. Del Duca, C. Duhr, E. Gardi, L. Magnea and C.D. White,  
*Phys. Rev. D* **85** (2012) p. 071104, [arXiv:1108.5947 \[hep-ph\]](#).  
[“An infrared approach to Reggeization”](#)
- [27] E. Laenen, L. Magnea, G. Stavenga and C.D. White,  
*JHEP* **1101** (2011) 141, [arxiv:1010.1860 \[hep-ph\]](#).  
[“Next-to-eikonal corrections to soft gluon radiation: a diagrammatic approach”](#)
- [28] E. Laenen, L. Magnea, G. Stavenga and C.D. White,  
in *Woerlitz 2010, Proceedings “Loops and Legs in Quantum Field Theory”*,  
*Nucl. Phys. Proc. Suppl.* **B 205-206** (2010) p. 260, [arxiv:1007.0624 \[hep-ph\]](#).  
[“On next-to-eikonal exponentiation”](#)
- [29] J.R. Andersen *et al.*,  
in *Les Houches 2009, Proceedings*, “Physics at TeV colliders”,  
[arXiv:1003.1241 \[hep-ph\]](#).

“The SM and NLO Multileg Working Group: Summary report”

- [30] L.J. Dixon, E. Gardi and L. Magnea,  
in *Ascona 2009, Proceedings “RadCor 2009”*, PoS (RADCOR2009) 007,  
arXiv:1001.4709 [hep-ph].  
“All-order results for infrared and collinear singularities in massless gauge theories”
- [31] L.J. Dixon, E. Gardi and L. Magnea,  
*JHEP* **1002** (2010) 081, arXiv:0910.3653 [hep-ph].  
“On soft singularities at three loops and beyond”
- [32] E. Gardi and L. Magnea,  
in *La Thuile 2009, Proceedings, Nuovo Cim.* **032C** (2009) 137,  
arXiv:0908.3273 [hep-ph].  
“Infrared singularities in QCD amplitudes”
- [33] A. Mukherjee *et al.*,  
in *Chennai 2008, Proceedings “WHEPP X”*, *Pramana* **72** (2009) 277.  
“Working group report: quantum chromodynamics sub-group”
- [34] E. Gardi and L. Magnea,  
*JHEP* **0309** (2009) 079, arXiv:0901.1091 [hep-ph].  
“Factorization constraints for soft anomalous dimensions in QCD scattering amplitudes”
- [35] E. Laenen, L. Magnea and G. Stavenga,  
*Phys. Lett.* **B 669** (2008) 173, arXiv:0807.4412 [hep-ph].  
“On next-to-eikonal corrections to threshold resummation for the Drell-Yan and DIS cross sections”
- [36] L. Magnea,  
in *Chennai 2008, Proceedings “WHEPP X”*, *Pramana* **72** (2009) 69,  
arXiv:0806.3353 [hep-ph].  
“All-order results for soft and collinear gluons”

- [37] L.J. Dixon, L. Magnea and G. Sterman,  
*JHEP* **0808** (2008) 022, [arXiv:0805.3515 \[hep-ph\]](#).  
[“Universal structure of subleading infrared poles in gauge theory amplitudes”](#)
- [38] M. Dasgupta, L. Magnea and G. Salam,  
 in *La Thuile 2008* and *Moriond 2008 Proceedings*, ed. M. Greco, Frascati Physics Series **47** (2008) 221, [arXiv:0805.2267 \[hep-ph\]](#).  
[“Analytical studies for non-perturbative QCD of jets at hadron colliders”](#)
- [39] M. Dasgupta, L. Magnea and G. Salam,  
*JHEP* **0802** (2008) 55, [arXiv:0712.3014 \[hep-ph\]](#).  
[“Non-perturbative QCD effects in jets at hadron colliders”](#)
- [40] M. Cacciari, M. Dasgupta, L. Magnea and G. Salam,  
 in *Munich 2007 Proceedings “DIS 2007”*, Atlantis Press, ed. G. Grindhammer e K. Sachs, p. 1023, [arXiv:0706.3157 \[hep-ph\]](#).  
[“Power corrections for jets at hadron colliders”](#)
- [41] G. Corcella and L. Magnea,  
 in *Milos 2006, Proceedings “Diffraction 2006”*, *PoS DIFF2006* (2006) 35.  
[“Soft resummation corrections to parton distributions”](#)
- [42] E. Laenen and L. Magnea,  
 in *Eisenach 2006, Proceedings “Loops and Legs 2006”*, ed. J. Bluemlein, S. Moch e T. Riemann, *Nucl. Phys. Proc. Suppl.* **160** (2006) p. 240, [hep-ph/0607194](#).  
[“Refining threshold resummations”](#)
- [43] L. Magnea,  
 in *Paris 2006, Proceedings “FRIF Workshop on first principles non-perturbative QCD of jets”*, eConf C0601121, [hep-ph/0606168](#).  
[“Angularities and other shapes”](#)
- [44] C. Buttar *et al.*,  
 in *Les Houches 2005, Proceedings “Physics at TeV colliders”*, eds. G. Belanger *et al.*, [hep-ph/0604120](#).

“Standard Model and Higgs Working Group: Summary Report”

- [45] S. Alekhin *et al.*,  
in *CERN-DESY 2005, Proceedings “HERA-LHC Workshop”*, ed. A. De Roeck e H. Jung, hep-ph/0601012 and hep-ph/0601013.  
“HERA and the LHC: a Workshop on the implications of HERA for LHC Physics”
- [46] E. Laenen and L. Magnea,  
*Phys. Lett. B* **632** (2006) p. 270, hep-ph/0508284.  
“Threshold resummation for electroweak annihilation from DIS data”
- [47] G. Corcella and L. Magnea,  
in *Madison 2005 Proceedings “DIS 2005”*, ed. W.H. Smith e S.R. Dasu, *AIP Conf. Proc.* **792** (2005) p. 303, hep-ph/0506278.  
“Impact of large- $x$  resummation on parton distribution functions”
- [48] G. Corcella and L. Magnea,  
*Phys. Rev. D* **72** (2005) 074017, hep-ph/0506278,  
“Soft gluon resummation effects on parton distributions”
- [49] L. Magnea, R. Russo and S. Sciuto,  
*Int. Jour. Mod. Phys. A* **21** (2006) p. 553, hep-th/0412087.  
“Two-loop Euler-Heisenberg effective actions from charged open strings”
- [50] L. Magnea,  
in *Štrbské Pleso 2004, Proceedings “DIS 2004”*, eds. D. Bruncko *et al.*, p. 672, hep-ph/0409209.  
“Sudakov logs and power corrections for selected event shapes”
- [51] C.F. Berger and L. Magnea,  
*Phys. Rev. D* **70** (2004) p. 094010, hep-ph/0407024.  
“Scaling of power corrections for angularities from dressed gluon exponentiation”

- [52] M. Dobbs *et al.*,  
in *Les Houches 2003, Proceedings* “Physics at TeV colliders”, eds. G. Belanger *et al.*, p. 291, [hep-ph/0403100](#).  
[“QCD/SM Working Group: Summary Report”](#)
- [53] T.O. Eynck, E. Laenen and L. Magnea,  
in *St. Petersburg 2003, Proceedings* “DIS 2003”, eds. V.T. Kim and L.N. Lipatov, p. 564, [hep-ph/0310271](#).  
[“Exponentiation at partonic threshold for the Drell–Yan cross section”](#)
- [54] E. Gardi and L. Magnea,  
*JHEP* **0308** (2003) p. 30, [hep-ph/0306094](#).  
[“The C parameter distribution in  \$e^+e^-\$  annihilation”](#)
- [55] T.O. Eynck, E. Laenen and L. Magnea,  
*JHEP* **0306** (2003) p. 57, [hep-ph/0305179](#).  
[“Exponentiation of the Drell–Yan cross section near partonic threshold in the DIS and  \$\overline{MS}\$  schemes”](#)
- [56] S. Forte, J.I. Latorre, L. Magnea and A. Piccione,  
in *Montpellier 2002, Proceedings* “QCD 2002”, *Nucl. Phys. B Proc. Suppl.* **121** (2003) p. 46, [hep-ph/0211014](#).  
[“A determination of  \$\alpha\_s\$  from scaling violations with truncated moments”](#)
- [57] L. Magnea,  
in *Parma 2002, Proceedings* “IFAE 2002”, eds. M. Cacciari *et al.*, p. 143, [hep-ph/0211013](#).  
[“On power corrections to event shapes”](#)
- [58] S. Forte, J.I. Latorre, L. Magnea and A. Piccione,  
*Nucl. Phys. B* **643** (2002) p. 477, [hep-ph/0205286](#).  
[“Determination of  \$\alpha\_s\$  from scaling violations of truncated moments of structure functions”](#)

- [59] W. Giele *et al.*,  
in *Les Houches 2001, Proceedings* “Physics at TeV colliders”, eds. P. Aurenche *et al.*, p. 275, hep-ph/0204316.  
[“The QCD/SM working group: summary report”](#)
- [60] L. Magnea,  
in *Bologna 2001, Proceedings*, “DIS 2001”, World Scientific, eds. G. Bruni *et al.*, p. 362, hep-ph/0109168.  
[“Analytic resummation and power corrections for DIS and Drell–Yan”](#)
- [61] A. Frizzo, L. Magnea and R. Russo,  
*Nucl. Phys. B* **604** (2001) p. 92, hep-ph/0012129.  
[“Systematics of one–loop Yang–Mills diagrams from bosonic string amplitudes”](#)
- [62] L. Magnea,  
in *Montpellier 2000, Proceedings* “QCD 2000”, *Nucl. Phys. B Proc. Suppl.* **96** (2001) p. 84, hep-ph/0008311.  
[“The resummed quark form factor in dimensional regularization”](#)
- [63] S. Forte, L. Magnea, A. Piccione and G. Ridolfi,  
*Nucl. Phys. B* **594** (2001) p. 46, hep-ph/0006273,  
[“Evolution of truncated moments of singlet parton distributions”](#)
- [64] L. Magnea,  
*Nucl. Phys. B* **593** (2001) p. 269, hep-ph/0006255.  
[“Analytic resummation for the quark form factor in QCD”](#)
- [65] S. Catani *et al.*,  
in *CERN 1999, Proceedings* “Standard Model Physics (and more) at the LHC”, *CERN report CERN-2000-004*, eds. G. Altarelli and M.L. Mangano, p. 1, hep-ph/0005025.  
[“QCD”](#)

- [66] A. Frizzo, L. Magnea and R. Russo,  
*Nucl. Phys.* **B 579** (2000) p. 379, [hep-th/9912183](#).  
“Scalar field theory limits of bosonic string amplitudes”
- [67] M. Dasgupta, L. Magnea and G.E. Smye,  
*JHEP* **9911** (1999) 25, [hep-ph/9911316](#).  
“Universality of  $1/Q$  corrections revisited”
- [68] L. Magnea and S. Forte,  
in *Tampere 1999, Proceedings* “International Europhysics Conference, High Energy Physics 1999”, eds. K. Huitu *et al.*, p. 454, [hep-ph/9910421](#).  
“Evolution of parton distributions with truncated Mellin moments”
- [69] S. Forte and L. Magnea,  
*Phys. Lett.* **B 448** (1999) p. 295, [hep-ph/9812479](#).  
“Truncated moments of parton distributions”
- [70] L. Magnea and R. Russo,  
in *Balholm 1997, Proceedings* “Beyond the Standard Model V”, eds. G. Eigen *et al.*, p. 347, [hep-ph/9708471](#).  
“String derivation of two-loop Feynman diagrams”
- [71] L. Magnea and R. Russo,  
in *Chicago 1997, Proceedings* “DIS 1997”, eds. J. Repond and D. Krakauer,  
p. 913, [hep-ph/9706396](#).  
“Two-loop gluon diagrams from string theory”
- [72] M. Beneke, V.M. Braun and L. Magnea,  
*Nucl. Phys.* **B 497** (1997) p. 297, [hep-ph/9701309](#).  
“Phenomenology of power corrections in fragmentation processes in  $e^+e^-$  annihilation”
- [73] S. J. Brodsky, P. Hoyer and L. Magnea,  
*Phys. Rev.* **D 55** (1997) p. 5585, [hep-ph/9611278](#).  
“Rapidity gaps in perturbative QCD”

- [74] P. Di Vecchia, A. Lerda, L. Magnea, R. Marotta and R. Russo,  
in *London 1996, Proceedings* “Gauge Theories, Applied Supersymmetry and Quantum Gravity”, eds. A. Sevrin *et al.*, p. 319, [hep-th/9611023](#).  
[“The field theory limit of multiloop string amplitudes”](#)
- [75] V.M. Braun and L. Magnea (editors),  
*Copenhagen 1996, Proceedings*, workshop on “Renormalons and Power Corrections in QCD”, preprint **NORDITA-96/64 P**, available from major high-energy physics libraries.  
[“Renormalons and Power Corrections in QCD”](#)
- [76] M. Beneke, V. M. Braun and L. Magnea,  
in *Montpellier 1996, Proceedings* “QCD 1996”, *Nucl. Phys. Proc. Suppl.* **54 A** (1997) p. 183, [hep-ph/9609266](#).  
[“On the infrared sensitivity of the longitudinal cross section in  \$e^+e^-\$  annihilation”](#)
- [77] P. Di Vecchia, A. Lerda, L. Magnea, R. Marotta and R. Russo,  
*Phys. Lett.* **B 388** (1996) p. 65, [hep-th 9607141](#).  
[“Two-loop scalar diagrams from string theory”](#)
- [78] E. Maina and L. Magnea,  
*Phys. Lett.* **B 385** (1996) p. 395, [hep-ph/9604385](#).  
[“QCD corrections to the production of a heavy quark pair plus a hard photon in  \$e^+e^-\$  annihilation”](#)
- [79] P. Di Vecchia, A. Lerda, L. Magnea, R. Marotta and R. Russo,  
in *Erice 1995, Proceedings*, “Workshop on Strings, Gravity and Physics at the Planck Scale”, eds. N. Sanchez and A. Zichichi, p. 105, [hep-th/9602055](#).  
[“Renormalization constants from string theory”](#)
- [80] P. Di Vecchia, A. Lerda, L. Magnea, R. Marotta and R. Russo,  
in *Buckow 1995, Proceedings*, “29<sup>th</sup> International Symposium on the Theory of Elementary Particles”, *Nucl. Phys. Proc. Suppl.* **49** (1996) p. 85, [hep-th/9602056](#).  
[“String-derived renormalization of Yang-Mills theory”](#)

- [81] P. Di Vecchia, A. Lerda, L. Magnea, R. Marotta and R. Russo,  
*Nucl. Phys. B* **469** (1996) p. 235, [hep-th/9601143](#).  
[“String techniques for the calculation of renormalization constants in field theory”](#)
- [82] P. Di Vecchia, A. Lerda, L. Magnea and R. Marotta,  
*Phys. Lett. B* **351** (1995) p. 445, [hep-th/9502156](#).  
[“Gauge theory renormalizations from the open bosonic string”](#)
- [83] M. Billò, M. Caselle, A. D’Adda, L. Magnea and S. Panzeri, *Nucl. Phys. B* **435** (1995) p. 172, [hep-lat/9407019](#).  
[“Deconfinement transition in Large- \$N\$  Lattice Gauge Theory”](#)
- [84] M. Caselle, A. D’Adda, L. Magnea and S. Panzeri,  
*Nucl. Phys. B* **416** (1994) p. 751, [hep-th/9304015](#).  
[“Two-dimensional QCD is a one-dimensional Kazakov–Migdal model”](#)
- [85] M. Caselle, A. D’Adda, L. Magnea and S. Panzeri,  
in *Trieste 1993, Proceedings*, “Workshop on high energy physics and cosmology”, eds E. Gava *et al.*, [hep-th/9309107](#).  
[“Two-dimensional QCD on the sphere and on the cylinder”](#)
- [86] G. P. Lepage, L. Magnea, C. Nakhleh, U. Magnea and K. Hornbostel,  
*Phys. Rev. D* **46** (1992) p. 4052, [hep-lat/9205007](#).  
[“Improved non-relativistic QCD for heavy quark physics”](#)
- [87] L. Magnea,  
*Nucl. Phys. B* **349** (1991) p. 703.  
[“All-order summation and two-loop results for the Drell–Yan cross section”](#)
- [88] L. Magnea and G. Sterman,  
*Phys. Rev. D* **42** (1990) p. 4222.  
[“Analytic continuation of the Sudakov form factor in QCD”](#)

- [89] L. Magnea,  
*Ph. D. Thesis*, UMI–90–33575–fiche (1990), 93 pp.  
“On the infrared–collinear structure of gauge theories”
- [90] L. Magnea and G. Sterman,  
in *Fermilab 1990, Proceedings*, “Workshop on hadron structure functions and parton distributions”, eds. D.F. Geesaman *et al.*, p. 423.  
“Resummation of large terms in hard scattering”
- [91] M. Caselle, A. D’Adda, and L. Magnea,  
*Phys. Lett. B* **232** (1989) p. 457.  
“Regge calculus as a local theory of the Poincaré group”
- [92] V. Del Duca, L. Magnea and G. Sterman,  
*Nucl. Phys. B* **324** (1989) p. 391.  
“Collinear–infrared factorization and asymptotic evolution”
- [93] V. Del Duca, L. Magnea and P. Van Nieuwenhuizen,  
*Int. Jour. Mod. Phys. A* **3** (1988) p. 1081.  
“Equivalence of the lagrangian and hamiltonian BRST charges for the bosonic string in the harmonic and conformal gauges”
- [94] M. Caselle, A. D’Adda and L. Magnea,  
*Phys. Lett. B* **192** (1987) p. 411.  
“Doubling of all matter fields coupled with gravity on a lattice”
- [95] M. Caselle, A. D’Adda and L. Magnea,  
*Phys. Lett. B* **192** (1987) p. 406.  
“Lattice gravity and supergravity as spontaneously broken gauge theories of the (super)Poincaré group”